

FRENCH ROCKS DIVISION.

The 22nd February 1898.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, French Rocks Division, up to 10th March 1898, for restoring the Nittur tank, Registered No. 43 of Malvalli taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of 31st December 1898.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's office at French Rocks between the hours of 8 A. M. and 5-30 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer and accompanied by a statement in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rupees 100 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tender for Restoring Nittur tank;" in default of which, tenders will be rejected.

5. The first acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor whose tender has been accepted will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

*Description of work.**Unit of work.***Bund—**

Earthwork including watering, tamping, &c.	..	..	C. yd.	8,300
Turfing rear and front slopes	..	..	Sqr.	771.94
Bench mark stones	..	..	Each.	2
Refixing the present grade stones	..	..	Do	32
Registered number stones	..	..	Do	1
Date stone	..	..	Do	1
Gauge stone	..	..	Do	1
New stone revetment	..	..	Do	1
Old do	..	..	C. yd.	1,766
	..	..	Do	2,490

Sluice—

Constructing front and rear cisterns and other sundry repairs .. Lump sum Rupees.

Waste weir, left extension—

Excavation	..	..	C. yd.	470
Brick in surki	..	..	C. ft.	4.8
Plastering with surki	..	..	Sqr.	1.59
Rough stone work new	..	..	C. yd.	170
Burnt stone slabs dressed	..	..	S. ft.	90
Baling	..	..	..	Lump sum Rupees.

Improving and raising the existing left waste weir—

Brick in surki	..	..	C. ft.	326
Burnt stone slabs dressed	..	..	S. ft.	288
Plastering with mortar	..	..	Sqr.	5.70
Wedging up the old apron	..	..	..	Lump sum Rupees.

Waste weir, right—

Repairing the right waste weir Lump sum Rupees.

Distribution—

Constructing an aqueduct across the left Kodihalla to irrigate the lands marked yellow on the Revenue Survey Tracing .. Lump sum Rupees.

The 26th February 1898.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, French Rocks division, up to 19th March 1898, for restoring Guttal Tank, registered No. 142, Mandya taluk. An approximate estimate of quantities is given below. These quantities are not guaranteed. The work should be completed by the end of 31st March 1899.

2. The plans, detailed estimate and conditions may be seen at the Executive Engineer's office at French Rocks between the hours of 11 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer, and be accompanied by a statement, in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 200 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tenders for restoring Guttal Tank", in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Executive Engineer, who does not bind himself to accept the lowest or any tender, or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

Description of work.		Unit of work.	Rate per unit.
Bund—			
Earthwork to bund		C. yds.	8,919
New stone work		"	3,183
Old stone work		"	1,980
Backing with fresh jelly		"	990
B. M. stones		Each.	2
Grade stones new with bed slabs		"	1
Do old removing and re-fixing.		"	60
New bed slabs to the old grade stones $2 \times 1\frac{1}{2} \times \frac{1}{3}$		"	60
Tank No. stone		"	1
Date stone		"	1
Gauge stone		"	1
Jungle clearing		"	1
Turfing front and rear slopes of bund		Lump sum.	
		Sqr.	643-67
Sluice No. 1—			
<i>Sluices.</i>			
Excavation gravelly soil		C. yds.	10
Brick in surki mortar		C. ft.	505
Plastering do		Sqr.	4-02
Brick in surki mortar arch work		C. ft.	30
Burnt stone slabs		"	6
Dismantling the old rear cistern		Lump sum.	
Sluice No. 2—			
Brick in surki mortar		C. ft.	140
Plastering do		Sqr.	1-86
Left waste weir—			
Excavation		C. yds.	62
Brick in surki mortar		C. ft.	1,585
Burnt stone slabs		"	101
Plastering with surki mortar		Sqr.	6-20
Jelly wedging to old apron		C. yds.	5
Rough stone work		"	11
Dismantling		C. ft.	120
Right waste weir—			
Excavation		C. yds.	89
Brick in surki mortar		C. ft.	742
Burnt stone slabs		"	161
Plastering with surki mortar		Sqr.	4-44
Rough stone work new		C. yds.	64
Wedging the old apron with jelly		"	10
Dismantling		C. ft.	111
Distribution—			
Silt clearing and widening channel		C. yds.	4,180
Fixing old bed grade stones		Lump sum.	
Mill and zero stones		Each.	2
1 furlong or tank grade stones		"	15
Repairing the head sluice		Lump sum.	
Do the old three waste weirs of one channel		Do	
Baling water		Do	

The 26th February 1898.

Notice is hereby given that sealed tenders will be received at the office of the Executive Engineer, French Rocks division, up to 19th March 1898, for restoring the Kirgaval Doddakere registered, No. 120, in Malvalli taluk. An approximate estimate of quantities given below. These quantities are not guaranteed. The work should be completed by the end of June 1899.

2. The plans, detailed estimate, and conditions may be seen at the Executive Engineer's office at French Rocks between the hours of 8 A. M. and 5 P. M.

3. Tenders should be submitted on printed forms which may be obtained from the Executive Engineer, and be accompanied by a statement, in the form given below, showing the rates at which the different items specified will be executed.

4. Each tender must be accompanied by a deposit of Rs. 500 in cash or Government Promissory Notes, as earnest money, and be superscribed "Tenders for restoring the Kirgaval Doddakere, registered No. 120, Malvalli taluk" in default of which tenders will be rejected.

5. The final acceptance of any tender will rest with the Chief Engineer, who does not bind himself to accept the lowest or any tender or to assign any reason whatever for the rejection of any tender.

6. Within eight days of the acceptance of the tender, the successful competitor will be required to execute the usual contract bond; in default of which, his tender will be considered cancelled, and his earnest money will be forfeited.

7. The name of the successful competitor, whose tender has been accepted, will be posted on the notice board in the Executive Engineer's office in due course. No enquiries regarding the acceptance or rejection of a tender will receive any reply.

8. On acceptance of one of the tenders, the earnest money on rejected tenders will be returned.

<i>Description of work.</i>				<i>Unit of work.</i>	<i>Rate per unit.</i>
Bund—					
Earthwork to bund	..	..	..	C. yds.	52,930
New stone work	..	..	..	"	5,249
Old stone work	..	..	..	"	2,327
B. M. stones	..	..	..	Each.	2
Removing and re-fixing old grade stones with new bed slabs.	..	..	..	"	40
Grade stones, new, complete	..	..	..	"	16
Tank Registered No. stone	..	..	..	"	1
Date stone	..	..	..	"	1
Gauge stone	..	..	..	"	1
Turfing front and rear slopes	..	..	..	Sqr.	2,153.21
Waste weir, left 140 feet long—					
Excavating foundations	..	..	..	C. yds.	211
Brick in surki mortar	..	..	..	C. ft.	6,355
Burnt stone slabs dressed	..	..	..	"	296
Plastering with surki mortar	..	..	..	Sqr.	15.45
New stone work	..	..	..	C. yd.	38
Old stone work	..	..	..	"	610
Baling water	..	..	..	Lump sum.	
Waste weir, right, 44 ft. long—					
Excavating foundations	..	..	..	C. yd.	67
Brick in surki mortar	..	..	..	C. ft.	1,367
Burnt stone slabs dressed	..	..	..	"	87
Plastering with surki mortar	..	..	..	Sqr.	2.6
Dismantling brick work	..	..	..	C. ft.	44
New stone work	..	..	..	C. yds.	19
Old stone work	..	..	..	"	98
Baling water	..	..	..	Lump sum.	
Sluices—Left sluice, new—					
Excavation in hard soil, re-filling the bund with the excavated earth including ramming	..	..	..	C. yds.	194
Brick in surki mortar	..	..	..	C. ft.	1,492
Burnt stone slabs dressed	..	..	..	"	110
Cut stone work neatly dressed	..	..	..	"	10
Plastering with surki mortar	..	..	..	Sqr.	4.04
Baling water	..	..	..	Lump sum.	
Rough stone work new	..	..	..	C. yds.	13
Right sluice—					
Excavating and raising rear cistern	..	..	..	Lump sum.	
Distribution—Left sluice channel—					
Excavating channel	..	..	..	C. yds.	2.396
Constructing an aqueduct across the left Kodihalla of the Kirgaval Doddakere tank	..	..	..	Lump sum.	
Constructing two silt dams	..	..	..	Do	

Description of work.	Unit of work.	Rate per unit.
Mile and zero stones	Each.	2
Bed grade stones	"	22
$\frac{1}{2}$ furlong or bund grade stones	"	21
Clearing jungle	Lump sum.	
Right sluice channel—		
Improving the channel for one mile	Lump sum.	
Mile and zero stones	Each.	2
Bed grade stones	"	16
$\frac{1}{2}$ furlong or bund grade stones	"	15
Constructing a silt dam	Lump sum.	
Clearing jungle	Do.	

D. SITARAMA RAO, *Executive Engineer.*

Notice, Camp Hunagal, dated 24th February 1898.

Notice is hereby given that a sum of Rs. 147-14-3, as noted in the margin, stands due in the books of this office to one deceased Sub-Overseer E. S. Lawrence of this department and that if his duly authorized agents or legal representatives fail to prefer their claims to the said amount within three months from this date, the sum will be credited to Government.

K. PRAHLADA RAO, *Offg. Executive Engineer,*
Chitaldrug Dn.

WANTED—

A gumasta for a post of Rs. 15, vacant in the Munsiff's Court at Tumkur.

Only passed candidates need apply.

A good knowledge of Kanarese is a necessary qualification.

Applications should be accompanied with certificates of good character and should reach the undersigned on the 2nd April 1898 at the latest.

B. BASAVARADHYA, *Munsiff.*

Notice, dated 11th February 1898.

Wanted an F. A. to act as English Assistant Master in the Anglo-Vernacular School at Maddagiri or at Kunigal on a salary of Rs. 15 a month. The successful candidate is likely to be confirmed in the post and stands a chance of soon getting an increase of Rs. 5.

M. RAMASWAMAYYA,
Dy. Insptr. of Schools, Tumkur Dt.

BANGALORE CITY MUNICIPALITY.

Notice re Bye-Law No. 22, dated 9th December 1897.

CONSTRUCTING PRIVY PITS WITH STONE.

It is hereby notified to those concerned who may be required to construct stone-lined privy pits under Section 22 of the Bye-Laws, City Municipality, that in order to help house owners to comply with the provision of this Bye-Law, the Municipality will undertake to do such work on parties depositing cost of the same. Applications for constructing of privy pits can be made to the Municipal Office, to the Sanitary Department or to Conservancy Overseer of Division.

COLLECTION DEPARTMENT.

The 31st December 1897.

The Office of the Collector of Municipal Taxes, City Municipality, is removed to the Head Office, Fort, where all official business connected with Municipal taxes, assessments, &c., is attended to daily, Sundays excepted.

T. T. LEONARD, *President.*